

ELECTRIC GROUP



Code	Description	Technical Data	Reff. No:
140-01001	Electrical Plug	According to: ISO 1185 Material: Plastic Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Cap Nut & Grommet	0 352 171 002 211111



Code	Description	Technical Data	Reff. No:
140-01002	Electrical Plug	According to: ISO 3731 Material: Plastic Type: S type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Cap Nut & Grommet	211113



Code	Description	Technical Data	Reff. No:
140-07001	Electrical Plug	According to: ISO 1185 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Cap Nut & Grommet	8JA 003 831 001 0 352 171 001 81254350199 211009



Code	Description	Technical Data	Reff. No:
140-07002	Electrical Plug	According to: ISO 3731 Material: Metal Type: S type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Cap Nut & Grommet	211013





Code	Description	Technical Data	Reff. No:
140-07001A	Electrical Plug	According to: ISO 1185 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Flat Terminals Note: With Cap Nut & Grommet	8JA 003 832 001 211027 211019



Code	Description	Technical Data	Reff. No:
140-07002A	Electrical Plug	According to: ISO 3731 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Flat Terminals Note: With Cap Nut & Grommet	211028



Code	Description	Technical Data	Reff. No:
140-02001	Electrical Socket	According to: ISO 1185 Material: Plastic Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Rubber Seal	8JB 008 085 001



Code	Description	Technical Data	Reff. No:
140-02002	Electrical Socket	According to: ISO 3731 Material: Plastic Type: S type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Rubber Seal	8JB 008 085 011

Code	Description	Technical Data	Reff. No:
140-02001A	Electrical Socket	According to: ISO 1185	111008
		Material: Plastic Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Flat Terminals Note: With Rubber Seal	111009



Code	Description	Technical Data	Reff. No:
140-02002A	Electrical Socket	According to: ISO 3731	111015
		Material: Plastic Type: S type No of Pole: 7 Pins Voltage: 24V Connection: With Flat Terminals Note: With Rubber Seal	111016




Code	Description	Technical Data	Reff. No:
140-08001	Electrical Socket	According to: ISO 1185	8JB 003 833 001
		Material: Metal Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Rubber Seal	0 352 071 001 111094 111098 111081 111058




Code	Description	Technical Data	Reff. No:
140-08002	Electrical Socket	According to: ISO 3731	8JB 003 833 001
		Material: Metal Type: S type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Rubber Seal	0986 352 010 111095 111099 111083 111059







Code	Description	Technical Data	Reff. No:
140-08001A	Electrical Socket	According to: ISO 1185 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Flat Terminals Note: With Rubber Seal	8JB 003 834 001 111100 111120 111128



Code	Description	Technical Data	Reff. No:
140-08002A	Electrical Socket	According to: ISO 3731 Material: Metal Type: S type No of Pole: 7 Pins Voltage: 24V Connection: With Flat Terminals Note: With Rubber Seal	111101 111121 111129



Code	Description	Technical Data	Reff. No:
140-01040	ABS/EBS/24V-ADR Plug	According to: ISO 7638-1 24V No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: ADR/GGVS Certified	241003 241045 241070



Code	Description	Technical Data	Reff. No:
140-01050	ABS/EBS/24V-ADR Plug	According to: ISO 12098 No of Pole: 15 Pins Voltage: 24V Connection: With Flat Terminals Note: ADR/GGVS Certified	241056 241010 241024

Code	Description	Technical Data	Ref. No:
140-02040	ABS/EBS/24V-ADR Socket	According to: ISO 7638-1 24V No of Pole: 7 Pins Voltage: 24V Connection: With Scew Terminals Note: ADR/GGVS Certified	446 008 404 2 141007 141070 141011



Code	Description	Technical Data	Ref. No:
140-02050	ABS/EBS/24V-ADR Socket	According to: ISO 12098 No of Pole: 15 Pins Voltage: 24V Connection: With Scew Terminals Note: ADR/GGVS Certified	141024 141053 141029



Code	Description	Technical Data	Ref. No:
140-01006	15 Pin/24V Compact Adaptor	According to: ISO 12098/ISO 1185/ISO 3731 No of Pole: 15 / 7x2 Pins Voltage: 24V Connection: With Flat Terminals Note: All Poles Connected Note **: 13 Pins Connected	8JA 005 952 061 A002 540 1181 311038 311071 62400002



Code	Description	Technical Data	Ref. No:
140-07003	Electrical Plug	According to: ISO 1724 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 12V Connection: With Screw Terminals	8JA 001 918 001



Code	Description	Technical Data	Ref. No:
140-07004	Electrical Plug	According to: ISO 3732 Material: Metal Type: S type No of Pole: 7 Pins Voltage: 12V Connection: With Screw Terminals	211028



Code	Description	Technical Data	Ref. No:
140-08003	Electrical Socket	According to: ISO 1724 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 12V Connection: With Screw Terminals	8JB 001 941 001 101100 101028 101118



Code	Description	Technical Data	Ref. No:
140-08004	Electrical Socket	According to: ISO 3732 Material: Metal. Type: S type No of Pole: 7 Pins Voltage: 12V Connection: With Screw Terminals	







Code	Description	Technical Data	Reff. No:
140-30100M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - N type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 071 611080 611017 611038


Code	Description	Technical Data	Reff. No:
140-30101M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - N type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 071

Code	Description	Technical Data	Reff. No:
140-30102M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Metal. Plug Type: 7P / 24V - N type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 071

Code	Description	Technical Data	Reff. No:
140-30103M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - N type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 071 611026

	<p>Code</p> <p>140-30110M</p>	<p>Description</p> <p>Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - S type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm</p>	<p>Reff. No:</p> <p>8KA 004 797 081 611081 611023 611039</p>
	<p>Code</p> <p>140-30111M</p>	<p>Description</p> <p>Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - S type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm</p>	<p>Reff. No:</p> <p>8KA 004 797 081</p>
	<p>Code</p> <p>140-30112M</p>	<p>Description</p> <p>Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - S type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm</p>	<p>Reff. No:</p> <p>8KA 004 797 081</p>
	<p>Code</p> <p>140-30113M</p>	<p>Description</p> <p>Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - S type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm</p>	<p>Reff. No:</p> <p>8KA 004 797 081 611025</p>

Code	Description	Technical Data	Reff. No:
140-30120P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - N type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 041



Code	Description	Technical Data	Reff. No:
140-30121P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - N type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 041




Code	Description	Technical Data	Reff. No:
140-30122P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - N type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 041



Code	Description	Technical Data	Reff. No:
140-30123P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - N type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 041




	<p>Code</p> <p>140-30130P</p>	<p>Description</p> <p>Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - S type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm</p>	<p>Reff. No:</p> <p>8KA 004 797 051</p>
	<p>Code</p> <p>140-30131P</p>	<p>Description</p> <p>Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - S type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm</p>	<p>Reff. No:</p> <p>8KA 004 797 051</p>
	<p>Code</p> <p>140-30132P</p>	<p>Description</p> <p>Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - S type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm</p>	<p>Reff. No:</p> <p>8KA 004 797 051</p>
	<p>Code</p> <p>140-30133P</p>	<p>Description</p> <p>Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - S type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm</p>	<p>Reff. No:</p> <p>8KA 004 797 051</p>

Code	Description	Technical Data	Reff. No:
140-30200i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 1185 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - N type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	611049 611082



Code	Description	Technical Data	Reff. No:
140-330201i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 1185 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - N type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	611097






Code	Description	Technical Data	Reff. No:
140-30202i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 1185 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - N type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	



Code	Description	Technical Data	Reff. No:
140-30203i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 1185 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - N type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	




Code	Description	Technical Data	Reff. No:
 140-30210i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 3731 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - S type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	611050 611083
 140-30211i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 3731 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - S type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	611098
 140-30212i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 3731 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - S type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	
 140-30213i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 3731 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - S type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	

Code	Description	Technical Data	Reff. No:
140-30160	ABS 5P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.0 m Total Length L: 4.0 m Wire: 3x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	641072 641115




Code	Description	Technical Data	Reff. No:
140-30161	ABS 5P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.5 m Total Length L: 4.5 m Wire: 3x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	




Code	Description	Technical Data	Reff. No:
140-30162	ABS 5P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.0 m Total Length L: 5.0 m Wire: 3x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	8KA 007 648 001 8KA 007 648 011 446 008 234 0



Code	Description	Technical Data	Reff. No:
140-30163	ABS 5P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.5 m Total Length L: 5.5 m Wire: 3x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	




Code	Description	Technical Data	Reff. No:
140-30170	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.0 m Total Length L: 4.0 m Wire: 5x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	641143
			641166



Code	Description	Technical Data	Reff. No:
140-30171	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.5 m Total Length L: 4.5 m Wire: 5x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	8KA 007 648 021
			8KA 007 648 031 446 008 243 0




Code	Description	Technical Data	Reff. No:
140-30172	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.0 m Total Length L: 5.0 m Wire: 5x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	8KA 007 648 021
			8KA 007 648 031 446 008 243 0




Code	Description	Technical Data	Reff. No:
140-30173	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.5 m Total Length L: 5.5 m Wire: 5x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	446 008 230 0
			446 008 233 0




Code	Description	Technical Data	Reff. No:
140-30170A	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.0 m Total Length L: 4.0 m Wire: 5x1.5 mm + 2x4,0 mm Note: ADR/GGVS Certified	641143 641166




Code	Description	Technical Data	Reff. No:
140-30171A	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.5 m Total Length L: 4.5 m Wire: 5x1.5 mm + 2x4,0 mm Note: ADR/GGVS Certified	





Code	Description	Technical Data	Reff. No:
140-30172A	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.0 m Total Length L: 5.0 m Wire: 5x1.5 mm + 2x4,0 mm Note: ADR/GGVS Certified	8KA 007 648 021 8KA 007 648 031 446 008 243 0




Code	Description	Technical Data	Reff. No:
140-30173A	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.5 m Total Length L: 5.5 m Wire: 5x1.5 mm + 2x4,0 mm Note: ADR/GGVS Certified	446 008 230 0 446 008 233 0




	<p>Code</p> <p>140-30180</p>	<p>Description</p> <p>ABS 15P Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 12098 Coil Material: Polyurethane Working L: 3.0 m Total Length L: 4.1 m Wire: 12x1.5 mm + 3x2.5 mm Note: ADR/GGVS Certified</p>	<p>Reff. No:</p> <p>641167 641158</p>
	<p>Code</p> <p>140-30181</p>	<p>Description</p> <p>ABS 15P Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 12098 Coil Material: Polyurethane Working L: 3.5 m Total Length L: 4.7 m Wire: 12x1.5 mm + 3x2.5 mm Note: ADR/GGVS Certified</p>	<p>Reff. No:</p>
	<p>Code</p> <p>140-30182</p>	<p>Description</p> <p>ABS 15P Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 12098 Coil Material: Polyurethane Working L: 4.0 m Total Length L: 5.2 m Wire: 12x1.5 mm + 3x2.5 mm Note: ADR/GGVS Certified</p>	<p>Reff. No:</p> <p>8KA 007 648 041 8KA 007 648 051</p>
	<p>Code</p> <p>140-30183</p>	<p>Description</p> <p>ABS 15P Spiral Cable with Plugs</p>	<p>Technical Data</p> <p>According to: ISO 12098 Coil Material: Polyurethane Working L: 4.5 m Total Length L: 5.7 m Wire: 12x1.5 mm + 3x2.5 mm Note: ADR/GGVS Certified</p>	<p>Reff. No:</p>


Code	Description	Technical Data	Reff. No:
140-30190M	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyurethane 2x7 Plug Material: Metal Working L: 3,0 m Total Length L: 4,0 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	




Code	Description	Technical Data	Reff. No:
140-30191M	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyurethane 2x7 Plug Material: Metal Working L: 3,5 m Total Length L: 4,5 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	000 545 3984 000 545 4084



Code	Description	Technical Data	Reff. No:
140-30192M	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyurethane 2x7 Plug Material : Metal Working L: 4.0 m Total Length L: 5.0 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	8JA 005 952 041



Code	Description	Technical Data	Reff. No:
140-30193M	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyurethane 2x7 Plug Material : Metal Working L: 4.5 m Total Length L: 5.5 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	



Code	Description	Technical Data	Reff. No:
140-30190i	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyüretlane 2x7 Plug Material: Plastic Moulded Working L: 3.0 m Total Length L: 4.0 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	711120
140-30191i	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyüretlane 2x7 Plug Material: Plastic Moulded Working L: 3.5 m Total Length L: 4.5 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	
140-30192i	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyüretlane 2x7 Plug Material: Plastic Moulded Working L: 4.0 m Total Length L: 5.0 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	
140-30193i	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyüretlane 2x7 Plug Material: Plastic Moulded Working L: 4.5 m Total Length L: 5.5 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	

Code	Description	Technical Data	Reff. No:
140-30140	Spiral Cable with Plugs	According to: ISO 1724 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - N type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	601040



Code	Description	Technical Data	Reff. No:
140-30141	Spiral Cable with Plugs	According to: ISO 1724 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - N type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	







Code	Description	Technical Data	Reff. No:
140-30142	Spiral Cable with Plugs	According to: ISO 1724 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - N type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	



Code	Description	Technical Data	Reff. No:
140-30143	Spiral Cable with Plugs	According to: ISO 1724 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - N type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	



	<table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Technical Data</th> <th>Reff. No:</th> </tr> </thead> <tbody> <tr> <td>140-30150</td> <td>Spiral Cable with Plugs</td> <td>According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm</td> <td>601019</td> </tr> </tbody> </table>	Code	Description	Technical Data	Reff. No:	140-30150	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	601019		
Code	Description	Technical Data	Reff. No:								
140-30150	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	601019								
	<table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Technical Data</th> <th>Reff. No:</th> </tr> </thead> <tbody> <tr> <td>140-30151</td> <td>Spiral Cable with Plugs</td> <td>According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm</td> <td></td> </tr> </tbody> </table>	Code	Description	Technical Data	Reff. No:	140-30151	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm			
Code	Description	Technical Data	Reff. No:								
140-30151	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm									
	<table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Technical Data</th> <th>Reff. No:</th> </tr> </thead> <tbody> <tr> <td>140-30152</td> <td>Spiral Cable with Plugs</td> <td>According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm</td> <td></td> </tr> </tbody> </table>	Code	Description	Technical Data	Reff. No:	140-30152	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm			
Code	Description	Technical Data	Reff. No:								
140-30152	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm									
	<table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Technical Data</th> <th>Reff. No:</th> </tr> </thead> <tbody> <tr> <td>140-30153</td> <td>Spiral Cable with Plugs</td> <td>According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm</td> <td></td> </tr> </tbody> </table>	Code	Description	Technical Data	Reff. No:	140-30153	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm			
Code	Description	Technical Data	Reff. No:								
140-30153	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm									