



For more than 30 years, we have been serving to domestic and foreign market and supplied to many small or Worldwide companies under their brands.

By the head of 2019 , we decided to start & develop the export so created "Mans" brand .


Our factory is located at Istanbul,Turkey. It has 5000 m2 closed area.

Product range is more than 1000 different types of spare parts for Trucks and Trailers.

We would like to set up long term & mutual business connections with partners.



ELECTRIC GROUP



Code	Description	Technical Data	Ref. No:
140-01001	Kapaksız Fiş Electrical Plug	According to: ISO 1185 Material: Plastic Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Cap Nut & Grommet	0 352 171 002 211111

Code	Description	Technical Data	Ref. No:
140-01002	Kapaksız Fiş Electrical Plug	According to: ISO 3731 Material: Plastic Type: S type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Cap Nut & Grommet	211113

Code	Description	Technical Data	Ref. No:
140-07001	Kapaksız Fiş Electrical Plug	According to: ISO 1185 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Cap Nut & Grommet	8JA 003 831 001 0 352 171 001 81254350199 211009

Code	Description	Technical Data	Ref. No:
140-07002	Kapaksız Fiş Electrical Plug	According to: ISO 3731 Material: Metal Type: S type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Cap Nut & Grommet	211013

Code	Description	Technical Data	Ref. No:
140-07001A	Kapaksız Fiş Electrical Plug	According to: ISO 1185 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Flat Terminals Note: With Cap Nut & Grommet	8JA 003 832 001 211027 211019

Code	Description	Technical Data	Ref. No:
140-07002A	Kapaksız Fiş Electrical Plug	According to: ISO 3731 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Flat Terminals Note: With Cap Nut & Grommet	211028

Code	Description	Technical Data	Ref. No:
140-02001	Kapaklı Fiş Electrical Socket	According to: ISO 1185 Material: Plastic Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Rubber Seal	8JB 008 085 001

Code	Description	Technical Data	Ref. No:
140-02002	Kapaklı Fiş Electrical Socket	According to: ISO 3731 Material: Plastic Type: S type No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: With Rubber Seal	8JB 008 085 011

Code	Description	Technical Data	Ref. No:
140-02001A	Kapaklı Fiş Electrical Socket	According to: ISO 1185	111008
		Material: Plastic Type: N type No of Pole: 7 Pins Voltage: 24V Connection: With Flat Terminals Note: With Rubber Seal	111009

Code	Description	Technical Data	Ref. No:
140-02002A	Kapaklı Fiş Electrical Socket	According to: ISO 3731	111015
		Material: Plastic Type: S type No of Pole: 7 Pins Voltage: 24V Connection: With Flat Terminals Note: With Rubber Seal	111016

Code	Description	Technical Data	Ref. No:
140-08001	Kapaklı Fiş Electrical Socket	According to: ISO 1185	8JB 003 833 001
		Material: Metal	0 352 071 001
		Type: N type	111094
		No of Pole: 7 Pins	111098
		Voltage: 24V	111081
		Connection: With Screw Terminals Note: With Rubber Seal	111058

Code	Description	Technical Data	Ref. No:
140-08002	Kapaklı Fiş Electrical Socket	According to: ISO 3731	8JB 003 833 001
		Material: Metal	0986 352 010
		Type: S type	111095
		No of Pole: 7 Pins	111099
		Voltage: 24V	111083
		Connection: With Screw Terminals Note: With Rubber Seal	111059

Code	Description	Technical Data	Ref. No:
140-08001A	Kapaklı Fiş Electrical Socket	According to: ISO 1185	8JB 003 834 001
		Material: Metal	111100
		Type: N type	111120
		No of Pole: 7 Pins	111128
		Voltage: 24V Connection: With Flat Terminals Note: With Rubber Seal	

Code	Description	Technical Data	Ref. No:
140-08002A	Kapaklı Fiş Electrical Socket	According to: ISO 3731	111101
		Material: Metal	111121
		Type: S type	111129
		No of Pole: 7 Pins	
		Voltage: 24V Connection: With Flat Terminals Note: With Rubber Seal	

Code	Description	Technical Data	Ref. No:
140-01040	ABS/EBS/24V-ADR Kapaksız Fiş ABS/EBS/24V-ADR Plug	According to: ISO 7638-1 24V	241003
		No of Pole: 7 Pins	241045
		Voltage: 24V Connection: With Screw Terminals Note: ADR/GGVS Certified	241070

Code	Description	Technical Data	Ref. No:
140-01050	ABS/EBS/24V-ADR Kapaksız Fiş ABS/EBS/24V-ADR Plug	According to: ISO 12098	241056
		No of Pole: 15 Pins	241010
		Voltage: 24V	241024
		Connection: With Flat Terminals Note: ADR/GGVS Certified	



Code	Description	Technical Data	Ref. No:
140-02040	ABS/EBS/24V-ADR Kapaklı Fiş ABS/EBS/24V-ADR Socket	According to: ISO 7638-1 24V No of Pole: 7 Pins Voltage: 24V Connection: With Screw Terminals Note: ADR/GGVS Certified	446 008 404 2 141007 141070 141011



Code	Description	Technical Data	Ref. No:
140-02050	ABS/EBS/24V-ADR Kapaklı Fiş ABS/EBS/24V-ADR Socket	According to: ISO 12098 No of Pole: 15 Pins Voltage: 24V Connection: With Screw Terminals Note: ADR/GGVS Certified	141024 141053 141029



Code	Description	Technical Data	Ref. No:
140-01006	15 Pin/24V Kompakt Adaptor 15 Pin/24V Compact Adaptor	According to: ISO 12098/ISO 1185/ISO 3731 No of Pole: 15 / 7x2 Pins Voltage: 24V Connection: With Flat Terminals Note: All Poles Connected Note **: 13 Pins Connected	8JA 005 952 061 A002 540 1181 311038 311071 62400002



Code	Description	Technical Data	Ref. No:
140-07003	Kapaksız Fiş Electrical Plug	According to: ISO 1724 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 12V Connection: With Screw Terminals	8JA 001 918 001



Code	Description	Technical Data	Ref. No:
140-07004	Kapaksız Fiş Electrical Plug	According to: ISO 3732 Material: Metal Type: S type No of Pole: 7 Pins Voltage: 12V Connection: With Screw Terminals	211028



Code	Description	Technical Data	Ref. No:
140-08003	Kapaklı Fiş Electrical Socket	According to: ISO 1724 Material: Metal Type: N type No of Pole: 7 Pins Voltage: 12V Connection: With Screw Terminals	8JB 001 941 001 101100 101028 101118



Code	Description	Technical Data	Ref. No:
140-08004	Kapaklı Fiş Electrical Socket	According to: ISO 3732 Material: Metal. Type: S type No of Pole: 7 Pins Voltage: 12V Connection: With Screw Terminals	

Code	Description	Technical Data	Reff. No:
140-30100M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - N type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 071 611080 611017 611038

Code	Description	Technical Data	Reff. No:
140-30101M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - N type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 071

Code	Description	Technical Data	Reff. No:
140-30102M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Metal. Plug Type: 7P / 24V - N type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 071

Code	Description	Technical Data	Reff. No:
140-30103M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - N type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 071 611026

Code	Description	Technical Data	Reff. No:
140-30110M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - S type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 081 611081 611023 611039

Code	Description	Technical Data	Reff. No:
140-30111M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - S type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 081

Code	Description	Technical Data	Reff. No:
140-30112M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - S type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 081

Code	Description	Technical Data	Reff. No:
140-30113M	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 3731 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 24V - S type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 081 611025

Code	Description	Technical Data	Reff. No:
140-30120P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - N type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 041

Code	Description	Technical Data	Reff. No:
140-30121P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - N type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 041

Code	Description	Technical Data	Reff. No:
140-30122P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - N type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 041

Code	Description	Technical Data	Reff. No:
140-30123P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - N type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 041

Code	Description	Technical Data	Reff. No:
140-30130P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - S type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 051

Code	Description	Technical Data	Reff. No:
140-30131P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - S type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 051

Code	Description	Technical Data	Reff. No:
140-30132P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - S type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 051

Code	Description	Technical Data	Reff. No:
140-30133P	Spiral Cable with Plugs	According to: ISO 4141-3 ISO 1185 Coil Material: Polyurethane Plug Material: Plastic Plug Type: 7P / 24V - S type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	8KA 004 797 051

Code	Description	Technical Data	Ref. No:
140-30200i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 1185 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - N type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	611049 611082

Code	Description	Technical Data	Ref. No:
140-330201i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 1185 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - N type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	611097

Code	Description	Technical Data	Ref. No:
140-30202i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 1185 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - N type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	

Code	Description	Technical Data	Ref. No:
140-30203i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 1185 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - N type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	

Code	Description	Technical Data	Ref. No:
140-30210i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 3731 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - S type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	611050 611083

Code	Description	Technical Data	Ref. No:
140-30211i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 3731 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - S type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	611098

Code	Description	Technical Data	Ref. No:
140-30212i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 3731 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - S type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	

Code	Description	Technical Data	Ref. No:
140-30213i	Spiral Cable with Plugs	According to: ISO 4141-4 ISO 3731 Coil Material: Polyurethane Plug Material: Molded Plug Plastic Plug Type: 7P / 24V - S type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	

Code	Description	Technical Data	Ref. No:
140-30160	ABS 5P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.0 m Total Length L: 4.0 m Wire: 3x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	641072 641115

Code	Description	Technical Data	Ref. No:
140-30161	ABS 5P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.5 m Total Length L: 4.5 m Wire: 3x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	

Code	Description	Technical Data	Ref. No:
140-30162	ABS 5P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.0 m Total Length L: 5.0 m Wire: 3x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	8KA 007 648 001 8KA 007 648 011 446 008 234 0

Code	Description	Technical Data	Ref. No:
140-30163	ABS 5P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.5 m Total Length L: 5.5 m Wire: 3x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	

Code	Description	Technical Data	Ref. No:
140-30170	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.0 m Total Length L: 4.0 m Wire: 5x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	641143 641166

Code	Description	Technical Data	Ref. No:
140-30171	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.5 m Total Length L: 4.5 m Wire: 5x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	

Code	Description	Technical Data	Ref. No:
140-30172	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.0 m Total Length L: 5.0 m Wire: 5x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	8KA 007 648 021 8KA 007 648 031 446 008 243 0

Code	Description	Technical Data	Ref. No:
140-30173	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.5 m Total Length L: 5.5 m Wire: 5x1.5 mm + 2x2.5 mm Note: ADR/GGVS Certified	446 008 230 0 446 008 233 0

Code	Description	Technical Data	Reff. No:
140-30170A	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.0 m Total Length L: 4.0 m Wire: 5x1.5 mm + 2x4,0 mm Note: ADR/GGVS Certified	641143 641166

Code	Description	Technical Data	Reff. No:
140-30171A	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 3.5 m Total Length L: 4.5 m Wire: 5x1.5 mm + 2x4,0 mm Note: ADR/GGVS Certified	

Code	Description	Technical Data	Reff. No:
140-30172A	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.0 m Total Length L: 5.0 m Wire: 5x1.5 mm + 2x4,0 mm Note: ADR/GGVS Certified	8KA 007 648 021 8KA 007 648 031 446 008 243 0

Code	Description	Technical Data	Reff. No:
140-30173A	EBS 7P Spiral Cable with Plugs	According to: ISO 7638-1 Coil Material: Polyurethane Working L: 4.5 m Total Length L: 5.5 m Wire: 5x1.5 mm + 2x4,0 mm Note: ADR/GGVS Certified	446 008 230 0 446 008 233 0

Code	Description	Technical Data	Reff. No:
140-30180	ABS 15P Spiral Cable with Plugs	According to: ISO 12098 Coil Material: Polyurethane Working L: 3.0 m Total Length L: 4.1 m Wire: 12x1.5 mm + 3x2.5 mm Note: ADR/GGVS Certified	641167 641158

Code	Description	Technical Data	Reff. No:
140-30181	ABS 15P Spiral Cable with Plugs	According to: ISO 12098 Coil Material: Polyurethane Working L: 3.5 m Total Length L: 4.7 m Wire: 12x1.5 mm + 3x2.5 mm Note: ADR/GGVS Certified	

Code	Description	Technical Data	Reff. No:
140-30182	ABS 15P Spiral Cable with Plugs	According to: ISO 12098 Coil Material: Polyurethane Working L: 4.0 m Total Length L: 5.2 m Wire: 12x1.5 mm + 3x2.5 mm Note: ADR/GGVS Certified	8KA 007 648 041 8KA 007 648 051

Code	Description	Technical Data	Reff. No:
140-30183	ABS 15P Spiral Cable with Plugs	According to: ISO 12098 Coil Material: Polyurethane Working L: 4.5 m Total Length L: 5.7 m Wire: 12x1.5 mm + 3x2.5 mm Note: ADR/GGVS Certified	

Code	Description	Technical Data	Reff. No:
140-30190M	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyurethane 2x7 Plug Material: Metal Working L: 3.0 m Total Length L: 4.0 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	

Code	Description	Technical Data	Reff. No:
140-30191M	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyurethane 2x7 Plug Material: Metal Working L: 3.5 m Total Length L: 4.5 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	000 545 3984 000 545 4084

Code	Description	Technical Data	Reff. No:
140-30192M	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyurethane 2x7 Plug Material: Metal Working L: 4.0 m Total Length L: 5.0 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	8JA 005 952 041

Code	Description	Technical Data	Reff. No:
140-30193M	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Polyurethane 2x7 Plug Material: Metal Working L: 4.5 m Total Length L: 5.5 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	

Code	Description	Technical Data	Reff. No:
140-30190İ	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Plastic Polyüretlane 2x7 Plug Material: Plastic Moulded Working L: 3.0 m Total Length L: 4.0 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	711120

Code	Description	Technical Data	Reff. No:
140-30191İ	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Plastic Polyüretlane 2x7 Plug Material: Plastic Moulded Working L: 3.5 m Total Length L: 4.5 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	

Code	Description	Technical Data	Reff. No:
140-30192İ	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Plastic Polyüretlane 2x7 Plug Material: Plastic Moulded Working L: 4.0 m Total Length L: 5.0 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	

Code	Description	Technical Data	Reff. No:
140-30193İ	15P/2x7 Adapter Spiral Cable	According to: ISO 12098/ISO 1185/ISO 3731 Coil Material: Plastic Polyüretlane 2x7 Plug Material: Plastic Moulded Working L: 4.5 m Total Length L: 5.5 m Wire: 2 x (6x1.0 mm + 1x1.5 mm) Note: ADR/GGVS Certified	

Code	Description	Technical Data	Reff. No:
140-30140	Spiral Cable with Plugs	According to: ISO 1724 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - N type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	601040

Code	Description	Technical Data	Reff. No:
140-30141	Spiral Cable with Plugs	According to: ISO 1724 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - N type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	

Code	Description	Technical Data	Reff. No:
140-30142	Spiral Cable with Plugs	According to: ISO 1724 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - N type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	

Code	Description	Technical Data	Reff. No:
140-30143	Spiral Cable with Plugs	According to: ISO 1724 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - N type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	


Code	Description	Technical Data	Reff. No:
140-30150	Spiral Cable with Plugs	According to: ISO 3731 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 3.0 m Total Length L: 4.0 m Wire: 6x1.0 mm + 1x1.5 mm	601019

Code	Description	Technical Data	Reff. No:
140-30151	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 3.5 m Total Length L: 4.5 m Wire: 6x1.0 mm + 1x1.5 mm	

Code	Description	Technical Data	Reff. No:
140-30152	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 4.0 m Total Length L: 5.0 m Wire: 6x1.0 mm + 1x1.5 mm	

Code	Description	Technical Data	Reff. No:
140-30153	Spiral Cable with Plugs	According to: ISO 3732 Coil Material: Polyurethane Plug Material: Metal Plug Type: 7P / 12V - S type Working L: 4.5 m Total Length L: 5.5 m Wire: 6x1.0 mm + 1x1.5 mm	

**AIR
GROUP**



Code	Description	Technical Data	Reff. No:
350-01001	Hava Kaplini Coupling Head	According to : ISO 1728 DIN 74342 Type: Subapsız / Standart Connection: M 16x1.5 Coloure: Kırmızı-Red	952 200 021 0 452 200 021 0 000 429 76 30 000 429 77 30 81.51220.6072 0 484 150 102 0 484 150 111

Code	Description	Technical Data	Reff. No:
350-01002	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74342 Type: Subapsız / Standart Connection: M 16x1.5 Coloure: Sarı -Yellow	452 200 022 0 952 200 022 0 000 429 38 30 000 429 51 30 000 429 54 30 000 429 59 30 81 51220 6071 0 484 150 101 0 484 150 112

Code	Description	Technical Data	Reff. No:
350-01003	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74342 Type: Subapsız / Standart Connection: M 22x1.5 Coloure: Kırmızı-Red	452 200 011 0 000 429 34 30 0 484 150 113

Code	Description	Technical Data	Reff. No:
350-01004	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74342 Type: Subapsız / Standart Connection: M 22x1.5 Coloure: Sarı-Yellow	452 200 012 0 000 429 79 30 000 429 33 30 0 484 150 114

Code	Description	Technical Data	Reff. No:
350-01001A	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74342 Type: Subapsız / Standart Connection: M 16x1.5 Model: Haldex Coloure: Kırmızı-Red	952 200 021 0 KU 1307 KU 1310 KU 1318

Code	Description	Technical Data	Reff. No:
350-01002A	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74342 Type: Subapsız Standart Connection: M 16x1.5 Model: Haldex Coloure: Sarı-Yellow	952 200 022 0 KU 1306 KU 1311 KU 1319

Code	Description	Technical Data	Reff. No:
350-01003A	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74342 Type: Subapsız / Standart Connection: M 22x1.5 Model: Haldex Coloure: Kırmızı-Red	452 200 011 0 KU 1305

Code	Description	Technical Data	Reff. No:
350-01004A	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74342 Type: Subapsız / Standart Connection: M 22x1.5 Model: Haldex Coloure: Sarı-Yellow	452 200 012 0 KU 1304

Code	Description	Technical Data	Ref. No:
350-02001	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74254 Type: Subaplı / Automatic Connection: M 16x1.5 Coloure: Kırmızı - Red	000 429 80 30
			000 429 96 30
			452 200 221 0
			952 200 221 0
			0 484 102 002
			KU 4125 KU 4124

Code	Description	Technical Data	Ref. No:
350-02002	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74254 Type: Subaplı / Automatic Connection: M 16x1.5 Coloure: Sarı - Yellow	000 429 40 30
			000 429 81 30
			452 200 222 0
			952 200 222 0
			0 484 102 003
			0 484 102 007
			KU 4128

Code	Description	Technical Data	Ref. No:
350-02003	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74254 Type: Subaplı / Automatic Connection: M 22x1.5 Coloure: Kırmızı - Red	000 429 55 30
			000 429 34 30
			452 200 211 0
			0 484 102 008
			0 484 102 028
			KU 2110
			KU 4121


Code	Description	Technical Data	Ref. No:
350-02004	Hava Kaplini Coupling Head	According to: ISO 1728 DIN 74254 Type: Subaplı / Automatic Connection: M 22x1.5 Coloure: Sarı - Yellow	452 200 212 0
			0 484 102 009
			0 484 102 029
			KU 4122

Code	Description	Technical Data	Ref. No:
350-01005	Filtreli Hava Kaplini Coupling Head with Line Filter	Type: Subapsız / Standart Connection: M 16x1.5 Coloure: Kırmızı - Red Note: Somunsuz / Without Nut	952 201 004 0
			KU 1401
			1518209


Code	Description	Technical Data	Ref. No:
350-01006	Filtreli Hava Kaplini Coupling Head with Line Filter	Type: Subapsız / Standart Connection: M 16x1.5 Coloure: Kırmızı - Red Note: Somunlu / With Nut	952 201 002 0
			KU 1400
			1518207
			1788946

Code	Description	Technical Data	Ref. No:
350-01006M	Filtreli Hava Kaplini Coupling Head with Line Filter	Type: Subapsız / Standart Connection: M 16x1.5 Coloure: Kırmızı - Red Note: Somunlu / With Metal Nut	952 201 003 0
			KU 1413
			1518208


Code	Description	Technical Data	Ref. No:
350-01007	Filtreli Hava Kaplini Coupling Head with Line Filter	Type: Subapsız / Standart Connection: M 16x1.5 Coloure: Sarı - Yellow Note: Somunsuz / Without Nut	952 201 003 0
			KU 1413
			1518208

Code	Description	Technical Data	Ref. No:
 350-01008	Filtreli Hava Kaplini Coupling Head with Line Filter	Type: Subapsız / Standart Connection : M 16x1.5 Coloure: Sarı - Yellow Note: Somunlu / With Nut	952 201 001 0 KU 1410 1518206


Code	Description	Technical Data	Ref. No:
 350-01008M	Filtreli Hava Kaplini Coupling Head with Line Filter	Type: Subapsız / Standart Connection : M 16x1.5 Coloure: Sarı - Yellow Note: Somunlu / With Metal Nut	

Code	Description	Technical Data	Ref. No:
 350-01009	Filtreli Hava Kaplini Coupling Head with Line Filter	Type: Subapsız / Standart Connection: M 16x1.5 Coloure: Sarı-Yellow Note: Somunsuz / Without Nut Note*: Könnektörlü / With Connector	952 201 008 0 KU 1411 1518211

Code	Description	Technical Data	Ref. No:
 350-01010	Filtreli Hava Kaplini Coupling Head with Line Filter	Type: Subapsız / Standart Connection: M 16x1.5 Coloure: Sarı-Yellow Note: Somunlu / With Nut Note**: Könnektörlü / With Connector	952 201 007 0 KU 1412 1518210 1788947

Code	Description	Technical Data	Ref. No:
 350-01011	STD Kaplin Contası STD Coupling Seal	Coloure: Siyah-Black	897 550 020 4 000 429 21 84 000 429 24 84

Code	Description	Technical Data	Ref. No:
 350-01012	Filtreli Kaplin Contası Seal for Coupling with Filter	Coloure: Siyah-Black	952 201 920 2

Code	Description	Technical Data	Ref. No:
 350-02005	Çift Delikli Kaplin Coupling with Double Connection	Type: Subaplı - Automatic Connection : M16x1,5 Coloure: Kırmızı - Red Note:	952 200 210 0 07081 076.923-00A

Code	Description	Technical Data	Ref. No:
 350-10001	Boru Filtresi Air Line Filter	Connection : M16x1.5	432 500 021 0

Code	Description	Technical Data	Reff. No:
350-10002	Boru Filtresi Air Line Filter	Connection : M22x1.5	432 500 020 0 432 500 000 0 0 457 102 002 LA 2100

Code	Description	Technical Data	Reff. No:
350-22001	İki Yönlü Valf Double Check Valve	Connection : M16x1.5	434 208 009 0 434 208 028 0 280 478

Code	Description	Technical Data	Reff. No:
350-22002	İki Yönlü Valf Double Check Valve	Connection: 3/8-18 NPTF	


Code	Description	Technical Data	Reff. No:
350-09001	Hava Musluğu Shut-off cock	Connection: M22x1.5 Note: Bronze	452 002 100 0 452 002 132 0 000 429 14 31 0 484 350 001

Code	Description	Technical Data	Reff. No:
350-09001A	Hava Musluğu Shut-off cock	Connection: M22x1.5 Note: Plastic	452 002 100 0 452 002 132 0 000 429 14 31 0 484 350 001

Code	Description	Technical Data	Reff. No:
350-06001	Üç Yollu Valf Three Way Valve	Operating Pressure: 10 bar Temperature Range: -40°C ... +80°C Nominal Diameter: 4 mm L : 46.9 Port Threads: 3xM12x1.5	000 429 23 01 463 013 110 0 463 013 116 0 0481 007 010 0340178 0478 2794

Code	Description	Technical Data	Reff. No:
350-06002	Üç Yollu Valf Three Way Valve	Operating Pressure: 10 bar Temperature Range: -40°C ... +80°C Nominal Diameter: 4 mm L: 95.6 Port Threads: 3xM12x1.5	000 434 24 01 463 013 114 0 0481 007 010 113 2041

Code	Description	Technical Data	Reff. No:
350-06003	Üç Yollu Valf Three Way Valve	Operating Pressure: 10 bar Temperature Range: -40°C ... +80°C Nominal Diameter: 4 mm L: 37.9 Port Threads: 3xM12x1.5	463 013 112 0 664 52 66 0256 4591 0342 1094 81.52185.6003



Code	Description	Technical Data			Reff. No:
		Supply 1	Delivery 2	Exhaust 3	
350-05001	Çabuk Tahliye Valfi Quick Release Valve	M22x1,5	M22x1,5	M22x1,5	973 500 000 0
350-05002		M22x1,5	M16x1,5	M22x1,5	973 500 018 0
350-05003		M16x1,5	M16x1,5		
350-05004		3/8-18	3/8-18		
350-05005		1/2-14	3/8-18	3/8-18	973 500 014 0
350-05006		3/8-18	3/8-18	3/8-18	973 500 017 0
350-05007		3/8-18	1/4-18	3/8-18	973 500 011 0
350-05008		1/4-18	1/4-18	3/8-18	
350-05009		1/2-14	1/4-18	3/8-18	
350-05010		M16x1,5	M16x1,5	M16x1,5	973 500 040 0
350-05011		1/2-14	3/8-18		
350-05012		M22x1,5	M16x1,5	M16x1,5	973 500 013 0
350-05013	M22x1,5	M22x1,5	M16x1,5		



Code	Description	Technical Data	Reff. No:
350-180150	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 73378 Material: Polyurethan Coloure: Kırmızı-Red Working Length: 4.50 m Connection: M 16x1,5 Note: With Metal Anti Kink Spring	



Code	Description	Technical Data	Reff. No:
350-181150	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 73378 Material: Polyurethan Coloure: Sarı-Yellow Working Length: 4.50 m Connection: M 16x1,5 Note: With Metal Anti Kink Spring	



Code	Description	Technical Data	Reff. No:
350-180155	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 73378 Material: Polyurethan Coloure: Kırmızı-Red Working Length: 5.0 m Connection: M 16x1,5 Note: With Metal Anti Kink Spring	



Code	Description	Technical Data	Reff. No:
350-181155	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 73378 Material: Polyurethan Coloure: Sarı-Yellow Working Length: 5.0 m Connection: M 16x1,5 Note: With Metal Anti Kink Spring	



Code	Description	Technical Data	Reff. No:
350-180250	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 73378 Material: Polyurethan Coloure: Kırmızı-Red Working Length: 4.50 m Connection: M 22x1,5 Note: With Metal Anti Kink Spring	



Code	Description	Technical Data	Reff. No:
350-181250	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 73378 Material: Polyurethan Coloure: Sarı-Yellow Working Length: 4.50 m Connection: M 22x1,5 Note: With Metal Anti Kink Spring	

Code	Description	Technical Data	Reff. No:
350-180255	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 73378 Material: Polyurethan Coloure: Sari-Yellow Working Length: 5.0 m Connection: M 22x1.5 Note: With Metal Anti Kink Spring	

Code	Description	Technical Data	Reff. No:
350-181255	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 73378 Material: Polyurethan Coloure: Sari-Yellow Working Length: 5.0 m Connection: M 22x1.5 Note: With Metal Anti Kink Spring	

Code	Description	Technical Data	Reff. No:
350-182150	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 743378 Material: Polyurethan Coloure: Siyah-Black Working Length: 4.50 m Connection: M 16x1.5 Note: With Plastic Anti Kink Coloure of Anti Kink: Kırmızı-Red	

Code	Description	Technical Data	Reff. No:
350-183150	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 743378 Material: Polyurethan Coloure: Siyah-Black Working Length: 4.50 m Connection: M 16x1.5 Note: With Plastic Anti Kink Coloure of Anti Kink: Sari-Yellow	

Code	Description	Technical Data	Reff. No:
350-182155	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 743378 Material: Polyurethan Coloure: Siyah-Black Working Length: 5.0 m Connection: M 16x1.5 Note: With Plastic Anti Kink Coloure of Anti Kink: Sari-Yellow	

Code	Description	Technical Data	Reff. No:
350-183155	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 743378 Material: Polyurethan Coloure: Siyah-Black Working Length: 5.0 m Connection: M 16x1.5 Note: With Plastic Anti Kink Coloure of Anti Kink: Red	

Code	Description	Technical Data	Reff. No:
350-182250	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 743378 Material: Polyurethan Coloure: Siyah-Black-Schwarz Working Length: 4.50 m Connection: M 22x1.5 Note: With Plastic Anti Kink Coloure of Anti Kink: Kırmızı-Red	

Code	Description	Technical Data	Reff. No:
350-183250	Hava Hortumu Air Brake Coil	According to: DİN 74323 DİN 743378 Material: Polyurethan Coloure: Siyah-Black-Schwarz Working Length: 4.50 m Connection: M 22x1.5 Note: With Plastic Anti Kink Coloure of Anti Kink: Sari-Yellow	

Code	Description	Technical Data	Ref. No:
350-182255	Air Brake Coil	According to: DİN 74323 DİN 743378 Material: Polyurethan Coloure: Siyah-Black-Schwarz Working Length: 5.0 m Connection: M 22x1.5 Note: With Plastic Anti Kink Coloure of Anti Kink: Red	

Code	Description	Technical Data	Ref. No:
350-182255	Air Brake Coil	According to: DİN 74323 DİN 743378 Material: Polyurethan Coloure: Siyah-Black-Schwarz Working Length: 5.0 m Connection: M 22x1.5 Note: With Plastic Anti Kink Coloure of Anti Kink: Sarı-Yellow	

Code	Description	Technical Data	Ref. No:
350-185001	Plastik Tabanca Plastic Gun		

Code	Description	Technical Data	Ref. No:
350-185002	Metal Tabanca Metal Gun		

Code	Description	Technical Data		Ref. No:
		Red Handle 1	Yellow Handle 2	
350-01019	Kaplin Tutamak Takımı Coupling Handle Set	M16x1,5	M16x1,5	893 900 033 2

Code	Description	Technical Data	Ref. No:
350-13001	Kontrol Silindiri Control Cylinder	Diameter: 24 mm Stroke: 32/50 mm Piston Red End: M6 Port: M12x1.5	000 072 01 12 SZ 1115

Code	Description	Technical Data	Ref. No:
350-13002	Kontrol Silindiri Control Cylinder	Diameter: 24 mm Stroke: 32/50 mm Piston Red End: M8 Port: M12x1.5	000 072 15 12 000 072 18 12 000 072 19 12 000 072 22 12 SZ 1159



Code	Description	Technical Data	Ref. No:
350-00140	Kontrol Silindiri Control Cylinder	Diameter: 28 mm Stroke: 48 mm Piston Red End: M8 Port: M12x1.5	000 429 000 0 000 430 49 26 000 430 30 26 SZ 1114



Code	Description	Technical Data	Ref. No:
350-15001	Kontrol Silindiri Control Cylinder	Diameter: 35 mm Stroke: 85 mm Piston Red End: M12 Port: M12x1.5	000 430 01 26 000 430 34 26 421 411 020 0 0 482 006 009 SZ 1200




Code	Description	Technical Data	Ref. No:
350-00160	Kontrol Silindiri Control Cylinder	Diameter: 50 mm Stroke: 48 mm Piston Red End: M10 Port: M12x1.5	81.15701.6112



Code	Description	Technical Data	Ref. No:
350-00161	Kontrol Silindiri Control Cylinder	Diameter: 50 mm Stroke: 48 mm Piston Red End: M10 Port: M12x1.5 Note: Rekorlu / With Fitting	000 140 04 59 000 140 03 59 000 140 07 59 000 140 08 59 SZ 1190

TANK CAPS



Code	Description	Technical Data	Reff. No:
110-28001	B60 - Depo Kapağı B60 - Tank Cap	Applying: Universal Material: Galvanize Type: Jost Type Model: without KEY Note: With Rubber Seal Diametre: 60 mm	

Code	Description	Technical Data	Reff. No:
110-28002	B60A- Depo Kapağı B60A- Tank Cap	Applying: Universal Material: Galvanize Type: Jost Type Model: With KEY Note: With Rubber Seal Diametre: 60 mm	

Code	Description	Technical Data	Reff. No:
110-28003	B60 - Depo Kapağı B60 - Tank Cap	Applying: Universal Material: Alluminium Type: Jost Type Model: without KEY Note: With Rubber Seal Diametre: 60 mm	

Code	Description	Technical Data	Reff. No:
110-28004	B60A- Depo Kapağı B60A- Tank Cap	Applying: Universal Material: Alluminium Type: Jost Type Model: With KEY Note: With Rubber Seal Diametre: 60 mm	

Code	Description	Technical Data	Reff. No:
110-28005	B80 - Depo Kapağı B80 - Tank Cap	Applying: Universal Material: Galvanize Type: Jost Type Model: without KEY Note: With Rubber Seal Diametre: 80 mm	

Code	Description	Technical Data	Reff. No:
110-28006	B80A- Depo Kapağı B80A- Tank Cap	Applying: Universal Material: Galvanize Type: Jost Type Model: With KEY Note: With Rubber Seal Diametre: 80 mm	

Code	Description	Technical Data	Reff. No:
110-28007	B80 - Depo Kapağı B80 - Tank Cap	Applying: Universal Material: Alluminium Type: Jost Type Model: without KEY Note: With Rubber Seal Diametre: 80 mm	

Code	Description	Technical Data	Reff. No:
110-28008	B80A- Depo Kapağı B80A- Tank Cap	Applying: Universal Material: Alluminium Type: Jost Type Model: With KEY Note: With Rubber Seal Diametre: 80 mm	

Code	Description	Technical Data	Reff. No:
110-28009	B40A- Depo Kapađı B40A- Tank Cap	Applying: Universal oil-tank Material: Stainless Type: Jost Type Model: With KEY Note: With Rubber Seal Diametre: 40 mm	

Code	Description	Technical Data	Reff. No:
110-28014Z	Depo Kapađı Tank Cap	Applying: Scania, Daf - New Model Material: Plastic Model: with KEY Diametre: 60 mm Note: Metal Covered	1 481 301 1 402 004

Code	Description	Technical Data	Reff. No:
110-28015	Depo Kapađı Tank Cap	Applying: Axor, Atego, Volvo, Bmc, Iveco Material: Plastic Model: with KEY Diametre: 80 mm	20392751 81.12210.6014

Code	Description	Technical Data	Reff. No:
110-28015Z	Depo Kapađı Tank Cap	Applying: Axor, Atego, Volvo, Bmc, Iveco Material: Plastic Model: with KEY + Chain Diametre: 80 mm	20392751 81.12210.6014

Code	Description	Technical Data	Reff. No:
110-28016Z	Depo Kapađı Tank Cap	Applying: Bmc, Man, Mercedes, Volvo, Scania, Daf (Universal) Material: Metal Model: with KEY + Chain Diametre: 80 mm	0004718430 0004716730

Code	Description	Technical Data	Reff. No:
110-28017	Depo Kapađı Tank Cap	Applying : Renault, Volvo, İveco, Daf Material : Plastic Model : with Key + Chain Diametre : 80 mm	5001 834 430 5001 864 551 3 198 271 8 152 630 1 189 577 20392751 149.001-00A

Code	Description	Technical Data	Reff. No:
110-28010	BLUE' Depo Kapađı 'BLUE' Tank Cap	Applying: Scania, Renault, Volvo Material: Plastic Coloure: Blue Model: with KEY Diametre: 60 mm	263 000 271 00 21060SV6008 7482335593 20703186 21075531 T114

Code	Description	Technical Data	Reff. No:
110-28011	BLUE' Depo Kapađı 'BLUE' Tank Cap	Applying: İveco Material: Plastic Coloure: Blue Model: with KEY Diametre: 60 mm	263 000 272 00 20060SV6009 41298191 T115

TANK CAPS

TANK CAPS

Code	Description	Technical Data	Reff. No:
110-28012	BLUE' Depo Kapağı 'BLUE' Tank Cap	Applying: Mercedes, Man, Daf Material: Plastic Couloire: Blue Model: with KEY Diametre: 40 mm Engine: EURO 4 / EURO 5	263 000 270 00 2040SV6007 0004701805 1686345 81154026008 T113

Code	Description	Technical Data	Reff. No:
110-28018	Adblue Depo Kapağı AdBlue Tank Cap	Applying : Mercedes-Benz, Renault RVİ, Daf, Man Material : Plastic Model : without Key with Rubber Loss Protection Diametre : 40 mm	174 25 68 46461

Code	Description	Technical Data	Reff. No:
110-28019	BioDiesel Depo Kapağı BioDiesel Tank Cap	Applying : Mercedes-Benz, Renault RVİ, Daf, Man, Volvo Material : Plastic Model : without Key with Rubber Loss Protection Diametre : 40 mm	000 470 33 05 46459

Code	Description	Technical Data	Reff. No:
110-28021	Adblue Depo Kapağı AdBlue Tank Cap	Applying : Mercedes-Benz, Renault RVİ, Daf, Man, Volvo Material : Plastic Model : without Key Diametre : 40 mm	000 470 18 05 46460

Code	Description	Technical Data	Reff. No:
110-28022	Adblue Depo Kapağı AdBlue Tank Cap	Applying : Mercedes-Benz, Daf, Man Material : Plastic Model : with Key Diametre : 40 mm	20040-SV-6010 T113 100327 000 470 44 05 81.15402-6008 81.15402-6027 9.69010

Code	Description	Technical Data	Reff. No:
110-28023	Adblue Depo Kapağı AdBlue Tank Cap	Applying : Renault RVİ, Volvo, İveco, Scania Material : Plastic Model : with Key Diametre : 60 mm	108013 20926022 21075531 7420740695 21 075 531 1759435 20926021 21075529 20 703 186 21281403 21106301 21075530 247714

Code	Description	Technical Data	Reff. No:
110-00268	'BLUE' Depo Boğazı 'BLUE' Tank Inlet Adapteur	Applying: Mercedes, Man, Daf Material: Plastic Couloire: Blue Model: with KEY Diametre: 40 mm	16060006012

Code	Description	Technical Data	Reff. No:
110-00263	Mazot Koruma Boğazı Anti-theft Fuel Device	Applying: Universal Diametre: 80 mm Length: 155 mm	263 000 032 00

Code	Description	Technical Data	Reff. No:
110-00264	Mazot Koruma Boğazı Anti-theft Fuel Device	Applying: Universal Diametre: 80 mm Length: 165 mm Note: With Rubber Seal	

Code	Description	Technical Data	Reff. No:
110-00266	Mazot Koruma Boğazı Anti-theft Fuel Device	Applying: Universal Diametre: 60 mm Length: 141,5 mm Note: With Rubber Seal & Riverts	263 000 034 00

Code	Description	Technical Data	Reff. No:
110-00267	Mazot Koruma Boğazı Anti-theft Fuel Device	Applying: Scania Diametre: 60 mm Length: 168 mm Note: With Rubber Seal & Riverts Note **: with Thread	263 000 033 00


Code	Description	Technical Data	Reff. No:
110-00269	Mazot Koruma Boğazı Anti-theft Fuel Device	Applying : Scania Diametre : 60 mm Length : 155 mm Note: With Rubber Seal + Screws + Allen Key Note: Aluminium Head	

Code	Description	Technical Data	Reff. No:
110-00270	Mazot Koruma Boğazı Anti-theft Fuel Device	Applying : Universal Diametre : 80 mm Length : 155 mm Note: With Rubber Seal + Screws + Allen Key Note: Complete Aluminium	

Code	Description	Technical Data	Reff. No:
110-00275	Mazot Koruma Metal Kapak Anti-theft Fuel Metal Cap	Applying : Universal Diametre : Suitable for filler neck - 60 mm Length : 55 mm Note: With Screwset + Allen Key	

Code	Description	Technical Data	Reff. No:
110-00277	Mazot Koruma Metal Kapak Anti-theft Fuel Metal Cap	Applying : Universal Diametre : Suitable for filler neck - 80 mm Length : 55 mm Note: With Screwset + Allen Key	

BPW



Code	Description	Technical Data	Reff. No:
320-09978	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: BPW Diameter: 42 mm	09.801.02.13.0 (09.801.02.14.0) 070.510

Code	Description	Technical Data	Reff. No:
320-09622	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: BPW Diameter: 42 mm	09.801.00.14.2 070.503

Code	Description	Technical Data	Reff. No:
320-09569	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: BPW Diameter: 42 mm Note: with Plastic Bearing	09.801.02.22.0 S 070.507 070.557

Code	Description	Technical Data	Reff. No:
320-09569A	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: BPW Diameter: 42 mm Note: with Plastic Bearing	09.801.06.09.0 070.513

Code	Description	Technical Data	Reff. No:
320-09569B	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: BPW Diameter: 42 mm Note: with Sinter Bearing	09.801.06.09.1 (09.801.06.09.0 S) 070.513 A

Code	Description	Technical Data	Reff. No:
320-09822S	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: BPW Dimension: Ø32x Ø 42x78	09.801.02.09.0

Code	Description	Technical Data	Reff. No:
320-09822	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: BPW Dimension: Ø32x Ø 42x78	09.801.02.09.0 S 070.523

Code	Description	Technical Data	Ref. No:
320-09823S	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: BPW Dimension: Ø26x Ø 42x78	09.801.02.10.0

Code	Description	Technical Data	Ref. No:
320-09823	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: BPW Dimension: Ø26x Ø 42x78	09.801.02.10.0 S 070.525

Code	Description	Technical Data	Ref. No:
320-09824S	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: BPW Dimension: Ø22x Ø 42x59	09.801.02.11.0


Code	Description	Technical Data	Ref. No:
320-09824	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: BPW Dimension: Ø22x Ø 42x59	09.801.02.11.0.S 070.524


Code	Description	Technical Data	Ref. No:
320-09989S	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: BPW Dimension: Ø22x Ø 42x59	09.801.02.12.0


Code	Description	Technical Data	Ref. No:
320-09989	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: BPW Dimension: Ø22x Ø 42x59	09.801.02.12.0S 070.527


Code	Description	Technical Data	Ref. No:
320-09979	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: BPW Diameter: 42 mm Note: with Metal Bearing	09.801.02.15.0 070.511


Code	Description	Technical Data	Ref. No:
320-09980	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: BPW Diameter: 42 mm Note: with Metal Bearing	09.801.00.37.0


Code	Description	Technical Data	Reff. No:
 320-09604	S-kam Rulmanı Spherical Bearing	Applying: BPW Dimension: $\varnothing 42 \times \varnothing 60 \times 38$ Material: Metal	03.113.14.01.0 070.085


Code	Description	Technical Data	Reff. No:
 320-09544	S-kam Rulmanı Spherical Bearing	Applying: BPW Dimension: $\varnothing 42 \times \varnothing 60 \times 38$ Material: Plastic	03.113.14.03.0 070.086


Code	Description	Technical Data	Reff. No:
 320-09544A	S-kam Rulmanı Spherical Bearing	Applying: BPW Dimension: $\varnothing 42 \times \varnothing 60 \times 38$ Material: Sinter	05.377.00.02.0 119.024

Code	Description	Technical Data	Reff. No:
 320-09548	Bronz Burç Bronze Bush	Applying: BPW Dimension: $\varnothing 42 \times \varnothing 46 \times 72$	03.112.44.34.0 070.087

Code	Description	Technical Data	Reff. No:
 320-09605	Toz Sacı Holder	Applying: for TMP 9604 Dimension: $\varnothing 10 / \varnothing 90 \times \varnothing 61.5 \times 23$	03.229.02.09.0 070.089

Code	Description	Technical Data	Reff. No:
 320-09606	Toz Sacı Holder	Applying: for TMP 9604 Dimension: $\varnothing 10 / \varnothing 90 \times \varnothing 61.5 \times 23$ Note: with Nippel's Hole	03.229.02.10.0 070.090

Code	Description	Technical Data	Reff. No:
 320-09542A	Toz Sacı Holder	Applying: for TMP 9544 / TMP 9544 A Dimension: $\varnothing 10 / \varnothing 90 \times \varnothing 60 \times 20.5$	03.229.02.19.0 070.103

Code	Description	Technical Data	Reff. No:
 320-09543A	Toz Sacı Holder	Applying: for TMP 9544 / TMP 9544 A Dimension: $\varnothing 10 / \varnothing 90 \times \varnothing 60 \times 21.5$ Note: with Nippel's Hole	03.229.02.18.0 070.104

Code	Description	Technical Data	Reff. No:
320-09727	Toz Lastiđi Dust Seal	Applying: for TMP 9544 Dimension: Ø43x25.5	03.120.43.10.0 070.096

Code	Description	Technical Data	Reff. No:
320-09546	Toz Lastiđi Dust Seal	Applying: Dimension: Ø41x 20	03.120.43.12.0 070.102

Code	Description	Technical Data	Reff. No:
320-09547	Toz Lastiđi Dust Seal	Applying: for TMP 9544 / TMP 9544 A Dimension: Ø41x24.5	03.120.43.14.0 070.097

Code	Description	Technical Data	Reff. No:
320-09624	Toz Lastiđi Dust Seal	Applying: Dimension: Ø39.5x25	03.120.63.01.0

Code	Description	Technical Data	Reff. No:
320-09625	Toz Lastiđi Dust Seal	Applying: for TMP 9544 / TMP 9544 A Dimension: Ø46x14	03.120.42.08.0 012.023

Code	Description	Technical Data	Reff. No:
320-09625A	Toz Lastiđi Dust Seal	Applying: for TMP 9544 / TMP 9544 A Dimension: Ø42x15	03.120.42.09.0 012.012

Code	Description	Technical Data	Reff. No:
320-09725	Toz Lastiđi Dust Seal	Applying: for TMP 9604 Dimension: Ø39.5x25	03.120.43.09.0 070.095

Code	Description	Technical Data	Reff. No:
320-09678	Makara Cam Roller	Applying: BPW Dimension: Ø22x Ø42x59	03.331.34.01.0 070.178

Code	Description	Technical Data	Reff. No:
320-09629	Makara Cam Roller	Applying: BPW Dimension: Ø32x Ø42x78	03.331.34.02.0 070.177

Code	Description	Technical Data	Reff. No:
320-09626	Makara Cam Roller	Applying: BPW Dimension: Ø26x Ø42x78	03.331.34.05.0 070.174

Code	Description	Technical Data	Reff. No:
320-09850	Sinter Fren Pabuç Burçu Sinter Brake Shoe Bush	Applying: BPW Dimension: Ø36x Ø40x59	03.112.33.08.1 070.146

Code	Description	Technical Data	Reff. No:
320-09524	Fren Pabuç Yay Brake Shoe Spring	Applying: BPW Dimension: Ø20x180	05.397.34.17.0 070.116

Code	Description	Technical Data	Reff. No:
320-09539	Fren Pabuç Yay Brake Shoe Spring	Applying: BPW Dimension: Ø24.5x235	05.397.46.13.0 070.118

Code	Description	Technical Data	Reff. No:
320-09595	Fren Pabuç Yay Brake Shoe Spring	Applying: BPW Dimension: Ø20x167	05.397.34.16.0 070.212

Code	Description	Technical Data	Reff. No:
320-97801	Fren Pabuç Yayı Brake Shoe Spring	Applying: BPW Dimension: Ø18.5x128	03.397.33.09.0 070.195

Code	Description	Technical Data	Reff. No:
320-97802	Fren Pabuç Yayı Brake Shoe Spring	Applying: BPW Dimension: Ø18.5x134	03.397.33.08.0 070.194

Code	Description	Technical Data	Reff. No:
320-97803	Fren Pabuç Yayı Brake Shoe Spring	Applying: BPW Dimension: Ø18.5x125	03.397.33.07.0 03.397.33.12.0 070.110

Code	Description	Technical Data	Reff. No:
320-97804	Fren Pabuç Yayı Brake Shoe Spring	Applying: BPW Dimension: Ø18.5x118	03.397.33.06.0 03.397.33.13.0 070.111

Code	Description	Technical Data	Reff. No:
320-09650	Porya Kapağı Hub Cap	Applying: 6-9 Ton Dimension: 115x2 / SW95/500Nm Note: Screw IN Shape: Circle Material: 4 mm	03.212.23.09.0 070.066

Code	Description	Technical Data	Reff. No:
320-09652	Porya Kapağı Hub Cap	Applying: 10-12 Ton Dimension: 125x2 / SW110/500Nm Note: Screw IN Shape: Circle Material: 4 mm	03.212.24.07.0 070.068

Code	Description	Technical Data	Reff. No:
320-09892	Porya Kapağı Hub Cap	Applying: 6-9 Ton Dimension: 115x3 / SW95/700Nm Note: Screw IN Shape: Oval Material: 3 mm	03.212.23.02.0 070.067

Code	Description	Technical Data	Reff. No:
320-09893	Porya Kapağı Hub Cap	Applying: 10-12 Ton Dimension: 125x3 / SW110/700Nm Note: Screw IN Shape: Oval Material: 3 mm	03.212.24.02.0 070.069

Code	Description	Technical Data	Reff. No:
320-09894	Porya Kapađı Hub Cap	Applying: 13-14 Ton Dimension: 135x3 / SW120/700Nm Note: Screw IN Shape: Oval Material: 3 mm	03.212.25.02.0 (03.212.25.01.0)

Code	Description	Technical Data	Reff. No:
320-09895	Porya Kapađı Hub Cap	Applying: 6-9 Ton Dimension: 155x3 / SW120/700Nm Note: Screw IN Shape: Oval Material: 3 mm	03.212.26.01.0

Code	Description	Technical Data	Reff. No:
320-09724	Porya Kapađı Hub Cap	Applying: 6-9 Ton Dimension: 125x2 / SW110/800Nm Note: Screw ON Shape: Oval Material: 3 mm	03.212.24.25.0

Code	Description	Technical Data	Reff. No:
320-09726	Porya Kapađı Hub Cap	Applying: 10-12 Ton Dimension: 135x2 / SW110/800Nm Note: Screw ON Shape: Oval Material: 3 mm	03.212.25.08.0

Code	Description	Technical Data	Reff. No:
320-097262	Porya Kapađı Hub Cap	Applying: 8-12 Ton Dimension: 136x2,5 / SW110/800Nm Note: Screw ON Shape: Oval Material: 3 mm	03.212.25.31.0 (03.212.25.33.0) 070.201

Code	Description	Technical Data	Reff. No:
320-09899	Porya Kapađı Hub Cap	Applying: 16-20 Ton Dimension: 230x3 / SW120/800Nm Note: Screw ON Shape: Oval Material: 4 mm	03.212.27.01.0 070.206

Code	Description	Technical Data	Reff. No:
320-05751	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF	3 317 0016 00 075.530

Code	Description	Technical Data	Reff. No:
320-05757	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF	3 317 0004 00 075.505

Code	Description	Technical Data	Reff. No:
320-05756	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF	3 317 0006 00 075.506

Code	Description	Technical Data	Reff. No:
320-05755	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF	3 317 0004 00 SMB 075.509

Code	Description	Technical Data	Reff. No:
320-05770	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø39x Ø 60x38	

Code	Description	Technical Data	Reff. No:
320-05770/2	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø39x Ø 60x38	3 268 0007 01 075.5508

Code	Description	Technical Data	Reff. No:
320-05772	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x Ø 60x55	

Code	Description	Technical Data	Reff. No:
320-05772/2	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x Ø 60x55	3 268 0007 02 075.507

Code	Description	Technical Data	Reff. No:
320-05777	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x Ø 60x55	

Code	Description	Technical Data	Reff. No:
320-05777/2	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x Ø 60x55	3 268 0034 00 075.534

Code	Description	Technical Data	Reff. No:
320-05775	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x Ø 70x63	3 268 0006 00 075.525

Code	Description	Technical Data	Reff. No:
320-05782	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x51.5	3 268 0047 00 075.518

Code	Description	Technical Data	Reff. No:
320-05781	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø46x78	3 268 0048 00 075.517

Code	Description	Technical Data	Reff. No:
320-05765A	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x Ø 60x55	3 434 3620 00 (3 434 3618 00) 075.510

Code	Description	Technical Data	Reff. No:
320-05765B	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x Ø 60x55	3 434 3622 00

Code	Description	Technical Data	Reff. No:
320-057265	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x Ø 60x55	3 434 3636 00

Code	Description	Technical Data	Reff. No:
320-05765E	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x Ø 60x55	3 434 3638 00

Code	Description	Technical Data	Reff. No:
320-05784	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x51.5 / Ø46x78	3 434 3639 00

Code	Description	Technical Data	Reff. No:
320-05784I	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x51.5 / Ø46x78	3 434 3639 00 075.542

Code	Description	Technical Data	Reff. No:
320-057842	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x51.5 / Ø46x78	3 434 3642 00 075.558

Code	Description	Technical Data	Reff. No:
320-05785	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SAF Dimension: Ø38x51.5	3 434 3640 00 075.561

Code	Description	Technical Data	Reff. No:
320-05780	S-kam Rulmanı Spherical Bearing	Applying: SAF Dimension: Ø46x78 Material: Metal	3 268 0046 00 075.025

Code	Description	Technical Data	Reff. No:
320-05783	S-kam Rulmanı Spherical Bearing	Applying: SAF Dimension: Ø38x51.5 Material: Metal	3 268 0045 00 075.024

Code	Description	Technical Data	Reff. No:
320-05932	S-kam Rulmanı Spherical Bearing	Applying: SAF Dimension: Ø38x Ø 70x63 Material: Plastic Note: with Grease Nippel	1 230 2001 01 (3 230 2001 01) 210 06 585 CF 1001312 075.014

Code	Description	Technical Data	Ref. No:
320-05774	S-kam Rulmanı Spherical Bearing	Applying: SAF Dimension: Ø38x Ø 60x55 Material: Plastic Note: with Grease Nippel	1 230 1002 04 (3 230 1002 04) 075.012

Code	Description	Technical Data	Ref. No:
320-05370	S-kam Rulmanı Spherical Bearing	Applying: SAF Dimension: Ø39x Ø 60x38 Material: Plastic Note: with Grease Nippel	1 230 1002 03 075.013

Code	Description	Technical Data	Ref. No:
320-01510	S-kam Burçu Spherical Bush	Applying: SAF Dimension: Ø38x Ø 48x22.5 Material: Plastic	1 072 0017 01 1655 000 W 212 046 01 210 16 711 075.008

Code	Description	Technical Data	Ref. No:
320-01610	S-kam Burçu Spherical Bush	Applying: SAF Dimension: Ø38x Ø 48x22.5 Material: Plastic	1 072 0018 00 (1 072 0018 01) 212 04 602 210 16 723 075.009

Code	Description	Technical Data	Ref. No:
320-05724	Bronz Burç Bronze Bush	Applying: SAF Dimension: Ø56x Ø60x33	4 230 0176 00 075.010

Code	Description	Technical Data	Ref. No:
320-05425	Bronz Burç Bronze Bush	Applying: SAF Dimension: Ø38,2x Ø42x44,8	1 230 0106 04 (1 230 0106 02) (1 230 0106 03) 5 000 816 349 075.011

Code	Description	Technical Data	Ref. No:
320-05743	Bronz Burç Bronze Bush	Applying: SAF Dimension: Ø46xØ50x40	4 230 0180 00 075.043

Code	Description	Technical Data	Ref. No:
320-05706	Toz Lastığı Dust Seal	Applying: SAF Dimension: Ø36.5 x Ø60x17	4 131 0008 00 075.023

Code	Description	Technical Data	Reff. No:
320-05710	Toz Sacı Holder	Applying: SAF Dimension: Ø70x 13	1 350 2005 00 075.044 075.015

Code	Description	Technical Data	Reff. No:
320-05390	Toz Sacı Holder	Applying: SAF Dimension: Ø8.5 / Ø90x Ø60x12 Note: with Nickel Coverage	1 350 2001 03 (1 350 2001 02) (1 350 2001 01) 075.016

Code	Description	Technical Data	Reff. No:
320-05773	Toz Sacı Holder	Applying: SAF Dimension: Ø8.5/ Ø 90x Ø 60x12,5	1 350 2001 04 075.017

Code	Description	Technical Data	Reff. No:
320-05460	Kitleme Somunu Axle Lock Nut	Applying: SAF Dimension: M56x2 / SW85	(4 011 0039 01) 1 011 0039 01 075.064

Code	Description	Technical Data	Reff. No:
320-05470	Kitleme Somunu Axle Lock Nut	Applying: SAF Dimension: Ø56,5xØ 93x4,5	1 345 0008 01 075.066

Code	Description	Technical Data	Reff. No:
320-05480	Kitleme Somunu Axle Lock Nut	Applying: SAF Dimension: M56x2 / SW85	2 011 0040 01 075.065

Code	Description	Technical Data	Reff. No:
320-05499	Kitleme Somunu Seti Set of Axle Lock Nuts	Applying: SAF TMP 5460 + TMP 5470 + TMP 5480	3 011 0040 01 075.596

Code	Description	Technical Data	Reff. No:
320-05721	Kitleme Somunu Axle Lock Nut	Applying: SAF Dimension: M120x2 R/SW140 Direction Right	1 011 0070 01 075.069

Code	Description	Technical Data	Reff. No:
320-05722	Kitleme Somunu Axle Lock Nut	Applying: SAF Dimension: M120x2 L/SW140 Direction Left	1 011 0071 01 075.070

Code	Description	Technical Data	Reff. No:
320-08263	Fren Pabuç Makarası Brake Shoe Pin	Applying: SAF Dimension: Ø31,5x88	

Code	Description	Technical Data	Reff. No:
320-01600	Fren Pabuç Makarası Brake Shoe Pin	Applying: SAF Dimension: Ø31,7x73	1 214 0023 02 (1 214 0023 01) 5000 8163 535 075.056


Code	Description	Technical Data	Reff. No:
320-01615	Makara Cam Roller	Applying: SAF Dimension: Ø19x31,7x55,5 Note: Hardened	1 265 0007 00 210 06 610 A3A 050 4001 1642 0005 075.045

Code	Description	Technical Data	Reff. No:
320-05070	Porya Kapağı Hub Cap	Applying: SAF Dimension: Ø9/140X Ø 165x42,5	1 304 0016 00


Code	Description	Technical Data	Reff. No:
320-01665	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR Dimension: 38mm	

Code	Description	Technical Data	Reff. No:
320-01673	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR Dimension: 38mm	085.526


Code	Description	Technical Data	Reff. No:
320-01808	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR Dimension: 38mm	AXL-112 085.514



Code	Description	Technical Data	Ref. No:
320-01809	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR Dimension: 38mm	AXL-112 085.514




Code	Description	Technical Data	Ref. No:
320-01660	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR Dimension: 38mm	AXL-111 085.515




Code	Description	Technical Data	Ref. No:
320-02335	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR Dimension: 39mm	106 90 588 085.503



Code	Description	Technical Data	Ref. No:
320-01816	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR Dimension: 38mm	AXL-131 085.518



Code	Description	Technical Data	Ref. No:
320-01851	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR	



Code	Description	Technical Data	Ref. No:
320-01851A	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR	AXL-122 085.502 102 3150 DT



Code	Description	Technical Data	Ref. No:
320-011817	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR	AXL-132 085.501 102 3154 DT



Code	Description	Technical Data	Ref. No:
320-011852	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: ROR	AXL-140 085.516 210 3155 DT



Code	Description	Technical Data	Reff. No:
320-01748	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: ROR	AXL-125 085.511 102 3303 DT



Code	Description	Technical Data	Reff. No:
320-01768	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: ROR	AXL-126 085.512



Code	Description	Technical Data	Reff. No:
320-01769	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: ROR Dimension: 31.7mm	AXL-117 085.510



Code	Description	Technical Data	Reff. No:
320-01810	S-kam Rulmanı Spherical Bearing	Applying: ROR Dimension: Ø12,5/63x Ø39x61 Material: Metal+ Plastic	152 04 595 085.522



Code	Description	Technical Data	Reff. No:
320-05932	S-kam Rulmanı Spherical Bearing	Applying: ROR Dimension: Ø38x Ø 70x63 Material: Plastic Note: with Grease Nippel	210 06 585 1230 2001 01 (3230 2001 01) CF 100 1312 1639 000 10 075.014



Code	Description	Technical Data	Reff. No:
320-01811	S-kam Rulmanı Spherical Bearing	Applying: ROR Dimension: Ø12,5/63x Ø38x45 Material: Metal	152 13 430 085.005



Code	Description	Technical Data	Reff. No:
320-01840	S-kam Rulmanı Spherical Bearing	Applying: ROR Dimension: Ø42x40 Material: Metal	152 20 224 (152 24 821) 085.006



Code	Description	Technical Data	Reff. No:
320-01841	S-kam Rulmanı Spherical Bearing	Applying: ROR Dimension: Ø41,5x46 Material: Forged Metal Note: with Bronze Bush inside	A 2310501213 085.042



Code	Description	Technical Data	Reff. No:
320-01812	Bronz Burç Bronze Bush	Applying: ROR Dimension: Ø43,5x Ø 48x50	212 09 990 085.011



Code	Description	Technical Data	Reff. No:
320-01510	S-kam Burçu Spherical Bush	Applying: ROR Dimension: Ø38x Ø 48x22.5 Material: Plastic	210 16 722 212 04 601 1072 0017 01 075.008



Code	Description	Technical Data	Reff. No:
320-01670	S-kam Burçu Spherical Bush	Applying: ROR Dimension: Ø38x Ø 48x22.5 Material: Plastic	212 04 602 (210 16 723) 1072 0018 00 (1072 0018 01) 075.009



Code	Description	Technical Data	Reff. No:
320-01570	Toz Sacı Holder	Applying: ROR Dimension: Ø70x12,5 Note: with Nickel Coverage	212 06 563 085.044



Code	Description	Technical Data	Reff. No:
320-01842	Toz Lastiği Dust Seal	Applying: ROR Dimension: Ø36,5x26	212 04 849 085.012



Code	Description	Technical Data	Reff. No:
320-01843	Toz Lastiği Dust Seal	Applying: ROR Dimension: Ø36,5x10	212 05 667 085.013



Code	Description	Technical Data	Reff. No:
320-01845	Toz Lastiği Dust Seal	Applying: ROR Dimension: Ø38x23	212 24 730 211.004

Code	Description	Technical Data	Reff. No:
320-01846	Toz Lastığı Dust Seal	Applying: ROR Dimension: Ø38x9	212 24 729 211.006

Code	Description	Technical Data	Reff. No:
320-01848	Fren Pabuç Yayı Brake Shoe Spring	Applying: ROR Dimension: Ø22.6x143	212 10 215 117.001

Code	Description	Technical Data	Reff. No:
320-01609	Fren Pabuç Yayı Brake Shoe Spring	Applying: ROR Dimension: Ø34x220	212 21 224 085.032

Code	Description	Technical Data	Reff. No:
320-03020	Fren Pabuç Yayı Brake Shoe Spring	Applying: ROR Dimension: Ø19x140	212 05 194 085.030

Code	Description	Technical Data	Reff. No:
320-03040	Makara Tutamağı Retaining Clamp	Applying: ROR Dimension: Ø19,5x37x55 Note: Made of Spring Metal	210 23 758 114.140

Code	Description	Technical Data	Reff. No:
320-01615	Makara Cam Roller	Applying: ROR Dimension: Ø19x31,7x55,5	210 06 610 1265 0007 00 AJA 0504001 075.045

Code	Description	Technical Data	Reff. No:
320-03035	Makara Cam Roller	Applying: ROR Dimension: Ø31.5x Ø 25x55	212 05 193 (212 05 193G) 085.027

Code	Description	Technical Data	Reff. No:
320-03035S	Makara Cam Roller	Applying: ROR Dimension: Ø31.5x Ø 25x55 Note: with 2xO-rings	212 05 193S1 085.027/2

Code	Description	Technical Data	Ref. No:
320-01600	Fren Pabuç Makarası Brake Shoe Pin	Applying: ROR Dimension: Ø31.7x67.5	210 05 204 212 05 204 085.041

Code	Description	Technical Data	Ref. No:
320-01801	Porya Kapağı Hub Cap	Applying: ROR Dimension: Ø9x139.5/ Ø 156x49	212 02 627 085.033

Code	Description	Technical Data	Ref. No:
320-01987	Porya Kapağı Hub Cap	Applying: ROR Dimension: Ø9/ Ø 162x15	212 24 673 085.023

Code	Description	Technical Data	Ref. No:
320-019871	Porya Kapağı Hub Cap	Applying: ROR Dimension: Ø8.5/ Ø188.5x24	212 26 038 085.058

Code	Description	Technical Data	Ref. No:
320-01715	Kitleme Somunu Takımı Axle Lock Nut Set	Applying: ROR M 65x1.5 / SW 85 / SW 95 / Ø66 x Ø98	AXL-105 085.508

Code	Description	Technical Data	Ref. No:
320-01690	Kitleme Somunu Axle Lock Nut	Applying: ROR	212 10 819 104.139

Code	Description	Technical Data	Ref. No:
320-01700	Kitleme Somunu Axle Lock Nut	Applying: ROR	212 20 818 105.316

Code	Description	Technical Data	Ref. No:
320-01710	Kitleme Somunu Axle Lock Nut	Applying: ROR	212 05 571 104.410



Code	Description	Technical Data	Ref. No:
320-01694	Kitleme Somunu Takımı Axle Lock Nut Set	Applying: ROR M 36x2 / SW 55/ Ø36,5 x Ø109,5	AXL-104 085.509



Code	Description	Technical Data	Ref. No:
320-01691	Kitleme Somunu Axle Lock Nut	Applying: ROR	212 20 726 105.317



Code	Description	Technical Data	Ref. No:
320-01692	Kitleme Somunu Axle Lock Nut	Applying: ROR	212 21 061 105.405



Code	Description	Technical Data	Ref. No:
320-01693	Kitleme Somunu Axle Lock Nut	Applying: ROR	212 20 759 105.140



Code	Description	Technical Data	Ref. No:
320-016930	Kitleme Somunu Axle Lock Nut	Applying: ROR Dimension: Ø86 W12G/18xSW120	212 26 003 085.057



Code	Description	Technical Data	Ref. No:
320-017001	Kitleme Somunu Axle Lock Nut	Applying: ROR Dimension: Ø89x Ø148x4	212 26 090 085.060

Code	Description	Technical Data	Reff. No:
320-08254	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: TRAILOR Dimension: Ø38x Ø70x63	6502103X (S) 082.501/2

Code	Description	Technical Data	Reff. No:
320-08257	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: TRAILOR Dimension: Ø38x Ø70x63	6502103X 082.501

Code	Description	Technical Data	Reff. No:
320-08255	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: TRAILOR Dimension: Ø38x Ø70x63	6503723T (S) 082.502/2

Code	Description	Technical Data	Reff. No:
320-08258	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: TRAILOR Dimension: Ø38x Ø70x63	6503723T 082.502

Code	Description	Technical Data	Reff. No:
320-05961	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: TRAILOR Dimension: Ø31.7	6503338 F 082.505

Code	Description	Technical Data	Reff. No:
320-05962	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: TRAILOR Dimension: Ø31.7	6504775 W 082.507

Code	Description	Technical Data	Reff. No:
320-08238	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: TRAILOR Dimension: Ø31.7	6502102 W 082.506

Code	Description	Technical Data	Reff. No:
320-05932	S-kam Rulmanı Spherical Bearing	Applying: TRAILOR Dimension: Ø38x Ø 70x63 Material: Plastic Note: with Grease Nippel	1639000 W 210 065 85 1230 2001 01 (3230 2001 01) CF 1001312 075.014

Code	Description	Technical Data	Reff. No:
320-01510	S-kam Rulmanı Spherical Bearing	Applying: TRAILOR Dimension: Ø38x Ø48x22,5 Material: Plastic	1655000 W 1 072 0017 01 212 04 601 210 16 722 075.008

Code	Description	Technical Data	Reff. No:
320-01670	S-kam Rulmanı Spherical Bearing	Applying: TRAILOR Dimension: Ø38x Ø48x22,5 Material: Plastic	1656000 E 1 072 0018 00 (1 072 0018 01) 212 04 602 210 16 723 075.009

Code	Description	Technical Data	Reff. No:
320-05425	Bronz Burç Bronze Bush	Applying: TRAILOR Dimension: Ø38,2x Ø42x44,8	6503721 R 5000 8163 49 1230 01060 2 1230 01060 3 1230 01060 4 M 023387 075.011

Code	Description	Technical Data	Reff. No:
320-05710	Toz Sacı Holder	Applying: TRAILOR Dimension: Ø70x13	1669000 G 1350 2005 00 1350 2002 01 M 003060 075.044

Code	Description	Technical Data	Reff. No:
320-05940	Fren Pabuç Yayı Brake Shoe Spring	Applying: TRAILOR Dimension: Ø28.5x202	1643000 C 082.009

Code	Description	Technical Data	Reff. No:
320-05919	Fren Pabuç Yayı Brake Shoe Spring	Applying: TRAILOR Dimension: Ø29x168	6501811 Y 1 447 0033 00 075.034

Code	Description	Technical Data	Reff. No:
320-01615	Makara Cam Roller	Applying: TRAILOR Dimension: Ø19x31,7x55,5 Note: Hardened	1642000 S A 3A050 4001 M 002971 210 06 610 5 000 8163 56 1265 0007 00 0103 00 075.045

Code	Description	Technical Data	Reff. No:
320-01601	Fren Pabuç Makarası Brake Shoe Pin	Applying: TRAILOR Dimension: Ø31,7x88	6502382 B 1 214 0022 00 085.025

Code	Description	Technical Data	Reff. No:
320-05905	S-kam Rulmanı Spherical Bearing	Applying: TRAILOR Dimension: Ø32x Ø35x36,5 Material: Metal	090.014 AJA-0558-001

Code	Description	Technical Data	Reff. No:
320-05829	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SMB Dimension: Ø38x 456 Note: With Bronze Bushes	M 050147 088.501

Code	Description	Technical Data	Reff. No:
320-05829B	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SMB Dimension: Ø38x 456 Note: Without Bronze Bushes	M 050147 088.501/2

Code	Description	Technical Data	Reff. No:
320-05829/A	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: SMB Dimension: Ø38x 509	M 010676 082.503

Code	Description	Technical Data	Reff. No:
320-05962	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: SMB Dimension: Ø31,7	M 009279 090.506

Code	Description	Technical Data	Reff. No:
320-5710	Toz Sacı Holder	Applying: SMB Dimension: Ø70x13	M 003060 1669 000 G 1350 2005 00 1350 2002 01 075.044

Code	Description	Technical Data	Reff. No:
320-05828	S-kam Şaft Borusu Tube for Camshaft	Applying: SMB Length: L - 509 mm Material: Plastic Note: with Grease Nippe	M 023913 119.029

Code	Description	Technical Data	Reff. No:
320-05852	S-kam Şaft Borusu Tube for Camshaft	Applying: SMB Length: L - 456 mm Material: Plastic Note: with Grease Nippe	M 003052 119.023



Code	Description	Technical Data	Reff. No:
320-05832	Porya Kapağı Hub Cap	Applying: SMB Dimension: Ø158 W86/167 Note: Black Painted	M 044554 090.037



Code	Description	Technical Data	Reff. No:
320-01615	Makara Cam Roller	Applying: SMB Dimension: Ø19x31,7x55,5 Note: Hardened	M 002971 1642 000 S AJA 0504 001 210 06 610 5000 816356 1265 0007 00 010300 075.045



Code	Description	Technical Data	Reff. No:
320-05918	Makara Cam Roller	Applying: SMB Dimension: Ø19/ Ø 25x57	M 007371 AJA 0504 002 090.033



Code	Description	Technical Data	Reff. No:
320-01600	Fren Pabuç Makarası Brake Shoe Pin	Applying: SMB Dimension: Ø31,7x70	M 002866 210 20039 165 2010 R 090.020




Code	Description	Technical Data	Reff. No:
320-05931	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: FRUEHAUF Dimension: Ø38	CF100149 090.505




Code	Description	Technical Data	Reff. No:
320-05925	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: FRUEHAUF Dimension: Ø40	CF101496 090.503




Code	Description	Technical Data	Reff. No:
320-05930	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: FRUEHAUF Dimension: Ø40	ARJA-0199-705 090.504




Code	Description	Technical Data	Reff. No:
320-05933	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: FRUEHAUF Dimension: Ø40	ARJA-0199-702 090.511



Code	Description	Technical Data	Ref. No:
320-05958	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: FRUEHAUF Dimension: Ø40	AEJA-0442-001S 090.507




Code	Description	Technical Data	Ref. No:
320-059301	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: FRUEHAUF Dimension: Ø40	AEJB-0003-002 090.510




Code	Description	Technical Data	Ref. No:
320-059302	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: FRUEHAUF Dimension: Ø40	AEJB-0003-002 090.510/2




Code	Description	Technical Data	Ref. No:
320-05916	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: FRUEHAUF Dimension: Ø40	ARJA-199-707 090.513



Code	Description	Technical Data	Ref. No:
320-059162	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: FRUEHAUF Dimension: Ø31.7	ARJA-0199-703 090.509



Code	Description	Technical Data	Ref. No:
320-05962	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: FRUEHAUF Dimension: Ø31.7	090.515



Code	Description	Technical Data	Ref. No:
320-08238	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: FRUEHAUF Dimension: Ø31.7	090.516



Code	Description	Technical Data	Ref. No:
320-05961	Fren Pabuç Tamir Takımı Brake Shoe Repair Kit	Applying: FRUEHAUF Dimension: Ø31.7	

Code	Description	Technical Data	Ref. No:
320-05885	S-kam Rulmanı Spherical Bearing	Applying: FRUEHAUF Dimension: Ø40x Ø64x38 Material: Plastic Note: with Grease Nippel	AEJA-0442-001 090.008

Code	Description	Technical Data	Ref. No:
320-05932	S-kam Rulmanı Spherical Bearing	Applying: FRUEHAUF Dimension: Ø38x Ø70x63 Material: Plastic Note: with Grease Nippel	CF 1001312 1639 000 W 210 06 585 210 06 585 1 230 2001 01 (3 230 2001 01) 500362 075.014

Code	Description	Technical Data	Ref. No:
320-05860	S-kam Rulmanı Spherical Bearing	Applying: FRUEHAUF Dimension: Ø41x Ø51x22 Material: Plastic	AEJA-0441-001 AXA 04139 00 090.011

Code	Description	Technical Data	Ref. No:
320-05861	S-kam Rulmanı Spherical Bearing	Applying: FRUEHAUF Dimension: Ø41x Ø51x22 Material: Plastic	AEJA-0441-002A 090.010

Code	Description	Technical Data	Ref. No:
320-05922	Bronz Burç Bronze Bush	Applying: FRUEHAUF Dimension: Ø41x50.9 / Ø54x51.1	116.086

Code	Description	Technical Data	Ref. No:
320-05923	Bronz Burç Bronze Bush	Applying: FRUEHAUF Dimension: Ø41.5xØ51x23	AJA-0753-001 090.023

Code	Description	Technical Data	Ref. No:
320-05924	Bronz Burç Bronze Bush	Applying: FRUEHAUF Dimension: Ø41.5xØ51x19	AJA-0753-002 090.022

Code	Description	Technical Data	Ref. No:
320-05872/A	Toz Sacı Holder	Applying: FRUEHAUF Dimension: Ø10.5/69.5x Ø 64x20 Note: with Nickel Coverage	AJB-0001-001 (AJB-0002-001) 090.024



Code	Description	Technical Data	Ref. No:
320-05831	Porya Kapađı Hub Cap	Applying: FRUEHAUF Dimension: Ø158 W86/167	AJA-0577-001 090.026



Code	Description	Technical Data	Ref. No:
320-05905	S-kam Rulmanı Spherical Bearing	Applying: FRUEHAUF Dimension: Ø32x Ø35x36.5 Material: Metal	AJA-0558-001 210 20 039 165 2010R 090.020



Code	Description	Technical Data	Ref. No:
320-01615	Makara Cam Roller	Applying: FRUEHAUF Dimension: Ø19x31,7x55,5	AJA-0504-001 (M 002971) 086.501



Code	Description	Technical Data	Ref. No:
320-05915	Fren Pabuç Makarası Brake Shoe Pin	Applying: FRUEHAUF Dimension: Ø31,7x62,5	AJA-0507-001 086.502



Code	Description	Technical Data	Ref. No:
320-05918	Makara Cam Roller	Applying: FRUEHAUF Dimension: Ø19/ Ø 25x57	AJA-0504-002 086.504



Code	Description	Technical Data	Ref. No:
320-01600	Makara Cam Roller	Applying: FRUEHAUF Dimension: Ø31.7x70	M 002866

Code	Description	Technical Data	Ref. No:
320-01643	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: YORK Dimension: Ø38	534601

Code	Description	Technical Data	Ref. No:
320-01644	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: YORK Dimension: Ø38	

Code	Description	Technical Data	Ref. No:
320-01645	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: YORK Dimension: Ø38	

Code	Description	Technical Data	Ref. No:
320-01646	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: YORK Dimension: Ø38	086.503

Code	Description	Technical Data	Ref. No:
320-01651	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: YORK Dimension: Ø38	

Code	Description	Technical Data	Ref. No:
320-01652	S-kam Şaft Tamir Takımı Repair Kit for Camshaft	Applying: YORK Dimension: Ø38	

Code	Description	Technical Data	Ref. No:
320-05932	S-kam Rulmanı Spherical Bearing	Applying: YORK Dimension: Ø38x Ø70x63 Material: Plastic Note: with Grease Nippel	500362 CF 1001312 163 5000W 210 06 585 1 230 2001 01 (3230 2001 01) 075.014

Code	Description	Technical Data	Ref. No:
320-01811	S-kam Rulmanı Spherical Bearing	Applying: YORK Dimension: Ø12,5/63x Ø38x45 Material: Metal	152 13 430 085.005



Code	Description	Technical Data	Ref. No:
320-01638	S-kam Rulmanı Spherical Bearing	Applying: YORK Dimension: Ø39x Ø48x45 Material: Plastic	786123 086.001



Code	Description	Technical Data	Ref. No:
320-01511	Bronz Burç Bronze Bush	Applying: YORK Dimension: Ø38.5x Ø47.5x45	503087 086.003



Code	Description	Technical Data	Ref. No:
320-01575	Toz Sacı Holder	Applying: YORK Dimension: Ø70x11.5 Note: with Nickel Coverage	500363 086.002



Code	Description	Technical Data	Ref. No:
320-06601	Porya Kapağı Hub Cap	Applying: SAE-GIGANT Dimension: M165x2 / SW148 Note: Screw ON	



Code	Description	Technical Data	Ref. No:
320-06700	Porya Kapağı Hub Cap	Applying: SAE-GIGANT	08804003



Code	Description	Technical Data	Ref. No:
320-06600	Tozluk Dust Cover	Applying: SAE-GIGANT Dimension: Ø153xØ341x38	08803055 087.009